



UNITED INTERNATIONAL CO., LTD.

VERSATILE AIR PURIFIER



Purifying, (Dehumidifying, Humidifying)

HEPA standard ; CADR up to 340 m³/hr

**CE/ GS/ CB CERTIFIED
ROHS & WEEE COMPLIANT**

SMART AIR PURIFIER

- * High CADR (340m³/h): Refresh the indoor circulation efficiently.
- * HEPA standard purification remove 99.97% of PM2.5 particles (size: 0.3 microns) .
- * Color/ Number display of air quality.
- * Elegant design to meet your aesthetics.

Model:
PP-AAE



* High-Tech!

Auto-Sliding Airoutlet
Voice broadcasting



Aesthetic Design! *

LED soft-touch panel
Elegant and easy to control
Air quality detect and warning



FORWARD-CLEANING: Aggressive Purification

Volatile solid ClO₂(Chlorine Dioxide)

Solid ClO₂ granules: easy to preserve, decrease the possibility of deterioration.

- 1) Internal self-cleaning: Volatile ClO₂ sterilize the unit and the filters, prevent the secondary pollution.
- 2) Prolong and maintain the sterile conditions of the air and the ambience.



100% Decomposed : Safe and Green!

New techniq from Japan, the ClO₂ can decompose the organic substances (virus, bacteria, chemic compounds caused the odor) to natural compound without health or environment pollution.



VERSATILE AIR PURIFIER

* Versatile functions:

Aroma Soothing, Humidifying,
Dehumidifying, Air Purifying.

* Air quality detect and wifi-control

* Professional air purification

* Bricks-concept module product:

Construct your own appliance



LED
soft-touch
panel

Colors warning
of air quality

360° airinlet



MULTI-LAYERS FILTRATION

- 1) **Front tier PET filter** block most of dusts and sands to protect the filter.
- 2) **"Medical standard" HEPA filter** screen the 99.97% of 0.3 microns particles in air. Such as dusts, bacteria, pollen, hair...etc.
- 3) **Nano Silver Ion filter** disinfect the air around.
- 4) **Active carbon filter** absorb and remove the arofen, odor and color substances.





SPECIFICATION

Model No.	PP-AAE	PPD-EAE
Power Consumption	200W	350W
CADR	340 m ³ /Hr	200 m ³ /Hr
PM2.5	V	V
Air Volume	400	300
Humidificatin	x	0.2 L/Hr
Dehumidification	x	9 L/Day
Sterilization	CIO2	x
Dimension	510*305*780	φ 376*1083
NetWeight	17.1	21.2
Container Loading	98/208/311	60/130/195



普諾約股份有限公司
PRO. AIR TEC. CO., LTD.

12F, No.520, Sec.4, Ren-Ai Rd., Taipei, Taiwan

<http://www.united-airmaster.com/>

Factory: Zhongshan Lianchang Co., Ltd.

No.72, Changjiang Rd., Zhongshan, Guangdong, China

+86 760 2815-8883 ; +86 760 2819-3262

rd-chencb@mail-airmaster.com.tw